

## Certified Hi-Speed USB 2.0 Cable A male – B male GX620-XX

### General Usage Information


High speed 2.0 Cable is used to connect any USB host to a USB peripheral.



### Featured Benefits

The GoldX® PlusSeries® 24 Karat Hi-Speed USB 2.0 peripherals transfer data at up to 40X times the speed of USB 1.1. As a result, the USB cables have to be designed to withstand the barrage of information. Ensure the integrity of your data by using Hi-Speed USB 2.0 Cables from GoldX® PlusSeries®. Our USB cables include a foil and a braid shield for a Higher level of protection from electronic interference. 50 Microns of Gold on the connectors ensures the best level of conductivity between the cable and your USB peripherals. Certified USB 2.0 compliant.



- USB-IF Certified
- Gold connectors
- Premium Quality
- Flexible Cable
- Ergonomic molding for easy connections
- Industry standard color coded for easy installation
- Foil and Braid Shielding to reduce EMI/RFI interference
- Designed for Low, Full and Hi-Speed USB transmissions for optimal performance



Connector A		Connector B	
Type	Device	Type	Device
USB Standard A 4 Pin Male Computer		USB Standard B 4 Pin Male Device	

© Copyright 2007 Jo-Dan International, Inc. all rights reserved. Plus Series®, PowerCore®, QuickConnect®, Share Plus®, and GoldX® Products are registered trademarks of Jo-Dan International, Inc. All other trademarks and registered trademarks are the property of their respective owners. Designed in USA. Made in China. One or more of the following patents may apply: D494,935, D494,934, D494,932, D493,453, 6,755,676, D490,702, 6,736,658, 6,726,509, 6,716,047, D485,752, D484,044, D481,629, D481,628, 6,607,408, D478,001, D478,000, D468,635, 6,479,607, D465,223,6,454,584, D462,612, D452,427, D452,426, D451,888, D451,480, D450,303, D448,736, D444,772, D443,862, D443,593, D442,919, D442,556, D442,555, 5,788,521, 5,658,158, 5,334,033, 5,292,257. D503,882; 6,843,684; 6,854,989; 6,872,086; D506,386; 6,905,374; D509,797; 6,991,483; D513,976; 7,004,787; 7,028,114; D519,925; D522,507; 7,258,572. Other patents pending.