

DVI-D Single Link Cable High Performance Digital Cable GXDV-DD-XX

For high definition all-digital video in pure digital form that looks its best. GoldX® PlusSeries® DVI (Digital Video Interface) Single Link Cable has the quality necessary to take your experience to the next level. What you see on your screen is exactly what was digitally transmitted. DVI-D Single Link cable is designed to support the high bandwidth demands from your set top box to the HDTV display and supports up to 24 bit digital RGB data behind each pixel for highest image quality.

The connectors of the DVI-D Single Link Cable are especially molded to provide a textured comfort grip to make the installation of the product easier. Adding to the ease of installation are easy grip thumbscrews, which lock the connectors together for best signal transfer.


The maintenance of signal integrity is also assured by a high-density, triple-layer shielding. An oxygen-free copper durable PVC jacket surrounds the center conductor. This yields a high quality digital signal along with flexibility strength and appeal. The inner shield has 100% Mylar backed aluminum foil. This prevents high frequency signal noise and interference. The outer shield consists of a 95% copper braid, which prevents most low frequency signal noise and interference. The 24k gold contacts make for maximum signal transfer and corrosion resistance. These contacts are precision-machined & provide reduced signal loss at the connectors.

Features:


- 24K Gold plated studio grade connectors
- Improved signal transfer with high grade oxygen-free copper wire
- Connects Components with DVI Interfaces to Each Other
- For High-Definition Digital Video (720p, 1080i and 1080p) or Standard Video Formats
- Multiple Layer Shielding reduces interference, noise and distortion



Available lengths in Feet



Comfort Grip Molding



© Copyright 2007 Jo-Dan International, Inc. all rights reserved. Plus Series®, PowerCore®, QuickConnect®, Share Plus®, and GoldX® Products are registered trademarks of Jo-Dan International, Inc. All other trademarks and registered trademarks are the property of their respective owners .Designed in USA. Made in China. One or more of the following patents may apply: D494,935, D494,934, D494,932, D493,453, 6,755,676, D490,702, 6,736,658, 6,726,509, 6,716,047, D485,752, D484,044, D481,629, D481,628, 6,607,408, D478,001, D478,000, D468,635, 6,479,607, D465,223,6,454,584, D462,612, D452,427, D452,426, D451,888, D451,480, D450,303, D448,736, D444,772, D443,862, D443,593, D442,919, D442,556, D442,555, 5,788,521, 5,658,158, 5,334,033, 5,292,257. D503,882; 6,843,684; 6,854,989; 6,872,086; D506,386; 6,905,374; D509,797; 6,991,483; D513,976; 7,004,787; 7,028,114; D519,925; D522,507; 7,258,572. Other patents pending.