
Dual Gang Decorex Wall Plate - White

Networx SKU: **WP-DXPWH** | Dual Gang | Color: White

Networx® Decorex wall plates are designed to fit all Networx® Decorex faceplate inserts and low voltage caddy frames in both commercial and residential installations supporting data, voice and audio video distribution networks. Rugged and compatible with Networx® Cat5e, Cat6 and Audio Video keystone jacks (via Decorex inserts) as well as most other name brand keystones, they provide the polished finishing touch for any network installation while keeping quick, easy access for the future.

PRODUCT DIAGRAM



FRONT SIDE REAR

KEY FEATURES

- Dual gang Decorex-style wall plate
- Works with low voltage caddy frames
- White ABS
- Fits all Networx® Decorex faceplate inserts
- For data, voice and audio video networks
- 4 mounting screws included; RoHS compliant

TECHNICAL SPECIFICATIONS

Parameter	Specification
Type	Dual Gang Decorex Wall Plate
Material	ABS
Color	White
Overall Size (W x H)	116.5 x 114.5 mm (4.59 x 4.51 in)
Depth	6.65 mm (0.26 in)
Decorex Openings	2x 33.8 x 67.1 mm (1.33 x 2.64 in)
Compatibility	Networx® Decorex faceplate inserts, low voltage caddy frames
Hardware Included	4x oval countersunk head screws
Compliance	RoHS

ORDERING INFORMATION


Networx® Decorex wall plates and faceplate inserts are designed to be used together. This sheet covers the highlighted SKU.

SKU	Description	Type
WP-SXPWH	Single Gang Decorex Wall Plate - White	Wall Plate
WP-DXPWH	**Dual Gang Decorex Wall Plate - White**	**Wall Plate**
WP-X01WH	1 Port Decorex Face Plate Insert - White	Faceplate Insert
WP-X02WH	2 Port Decorex Face Plate Insert - White	Faceplate Insert
WP-X03WH	3 Port Decorex Face Plate Insert - White	Faceplate Insert
WP-X04WH	4 Port Decorex Face Plate Insert - White	Faceplate Insert
WP-X06WH	6 Port Decorex Face Plate Insert - White	Faceplate Insert


Networx® is a brand of NetConnex, LLC. Specifications are subject to change without notice. © 2026 Networx.

Dual Gang Decorex Wall Plate - White


PRODUCT VIEWS




FRONT VIEW



BOTTOM VIEW



SECTION B-B



REAR VIEW

BUILD SPECIFICATIONS

MATERIAL & FINISH

Panel	ABS, White
Surface	No sink marks, deformation or ejector whitening

DIMENSIONS

Overall (W x H x D)	116.5 x 114.5 ±0.10 x 6.65 mm
Decorex Openings	2x 33.80 ±0.10 x 67.10 mm
Opening Spacing	46.50 ±0.10 mm center-to-center
Mounting Hole Spacing	96.90 mm vertical, 46.50 mm horizontal
Wall Thickness	2.50 ±0.05 mm
Untoleranced Dims	Per SJ/T 10628-1995, Grade 6

HARDWARE (INCLUDED)

Mounting Screws	4x 1/2 in oval countersunk head screw

COMPLIANCE

RoHS	Compliant

Networx® is a brand of NetConnex, LLC. Specifications subject to change without notice. © 2026 Networx.