
4 Port Decorex Face Plate Insert - White

Networx SKU: **WP-X04WH** | 4 Port | Color: White

The Networx® Four-Port Decorex faceplate insert is designed to fit Decorex single gang and dual gang wall plates and low voltage caddy frames in both commercial and residential installations supporting data, voice and audio video distribution networks. It is compatible with all Networx® 180° keystone jacks in addition to most other name brand keystone jacks - neatly snap in any mix of data, voice or audio video keystones for a custom configuration on site, with quick and easy access in the future.

PRODUCT DIAGRAM



KEY FEATURES

- Four-port Decorex faceplate insert
- Works with low voltage caddy frames
- Brass threaded inserts + 2 mounting screws included
- Fits Networx® single & dual gang Decorex wall plates
- Compatible with Networx® 180° keystone jacks and most name brand keystones
- White ABS (RAL 9003); RoHS compliant

TECHNICAL SPECIFICATIONS

Parameter	Specification
Type	Decorex Faceplate Insert
Keystone Ports	4
Material	ABS
Color	White (RAL 9003)
Overall Size (W x H)	35 x 103.4 mm (1.38 x 4.07 in)
Depth	11.1 mm (0.44 in)
Keystone Compatibility	Networx® 180° keystone jacks, most name brand keystones
Plate Compatibility	Networx® single and dual gang Decorex wall plates, low voltage caddy frames
Hardware Included	2x brass knurled threaded inserts, 2x 6-32 UNC mounting screws
Compliance	RoHS

ORDERING INFORMATION


Networx® Decorex wall plates and faceplate inserts are designed to be used together. This sheet covers the highlighted SKU.

SKU	Description	Type
WP-SXPWH	Single Gang Decorex Wall Plate - White	Wall Plate
WP-DXPWH	Dual Gang Decorex Wall Plate - White	Wall Plate
WP-X01WH	1 Port Decorex Face Plate Insert - White	Faceplate Insert
WP-X02WH	2 Port Decorex Face Plate Insert - White	Faceplate Insert
WP-X03WH	3 Port Decorex Face Plate Insert - White	Faceplate Insert
WP-X04WH	**4 Port Decorex Face Plate Insert - White**	**Faceplate Insert**
WP-X06WH	6 Port Decorex Face Plate Insert - White	Faceplate Insert


Networx® is a brand of NetConnex, LLC. Specifications are subject to change without notice. © 2026 Networx.

4 Port Decorex Face Plate Insert - White


PRODUCT VIEWS




FRONT VIEW



SECTION A-A



REAR VIEW



KNURLED NUT INSERT DETAIL

BUILD SPECIFICATIONS

MATERIAL & FINISH

Panel	ABS, White (RAL 9003)
Surface	No sink marks, deformation, white spotting or other defects
Orientation Marking	Molded "UP", 0.1 - 0.2 mm character depth

DIMENSIONS

Overall (W x H x D)	35 x 103.4 x 11.1 mm
Keystone Ports	4x, 14.6 x 16.2 mm opening
Mounting Hole Spacing	96.9 mm center-to-center
Untoleranced Dims	Per SJ/T 10628-1995, Grade 6

HARDWARE (INCLUDED)

Threaded Inserts	2x knurled nut, HPb59 brass, 6-32 UNC thread, 3.4 mm
Insert Detail	Nut face with right-angle chamfer, pressed into panel
Mounting Screws	2x 6-32 UNC slotted oval countersunk head machine screw, 25 mm

COMPLIANCE

RoHS	Compliant

Networx® is a brand of NetConnex, LLC. Specifications subject to change without notice. © 2026 Networx.